

MAR 128 SPLIT

Scotsman
Ice Systems

Modular Ice Machine up to 1000 kg

Item #:

Project:

Quantity:



FEATURES

- Daily production up to 1000 Kg in 24 hr (ø 2 mm. ice thickness only).
- Scale ice machine, in "split system" version; evaporator only.
- Storage bin not supplied, to be purchased separately.
- To be connected to condensing unit or central cooling system (low temperature).
- AISI304 Stainless steel evaporator and ice scraper blade.
- Redesigned evaporator compartment end-walls.
- Foodgrade ABS plastic water sump tray, easy remove for cleaning and sanitising.



MAR 128 SPLIT
Scale ice
Residual water content 2%
Thickness 1 o 2 mm

CONDENSING SYSTEM

RECOMMENDED BINS

Head	Bins		kg
MAR 128 SPLIT	●	UBH1100	553
	●	UBH1600	812
	●	UBH2250	1068
	●	SIS700	318 + 73
	●	SIS1350	613 + 73 + 73

REFRIGERANT GAS

R404A

VOLTAGE V/Hz/ph

230/60/1
400/50/3N
400/60/3N

LEGENDA:

✓ : Perfect combination between ice maker and bin
● : Ice chute cut-out performed upon installation
CBTxxxxxxxx : need additional bin top

Certifications:



OPERATING REQUIREMENTS

	Minimum	Maximum
Air temperature	10°C	43°C
Water temperature	5°C	38°C
Water pressure	1 bar (14 psi)	5 bar (70 psi)
Electrical voltage	-10%	+10%

IMPORTANT NOTICE:
Models and specifications are subject to change without notice. This spec sheet is meant for commercial purpose only. For technical documentation please refer to our service manuals.

Download our free **App Scotsman Ice**
Apple store
Google play
Windows store

DOWNLOAD

www.scotsman-ice.it
www.scotsman-ice.com

Modular Ice Machine up to 1000 kg

17 October 2017

MAR 128 SPLIT


Scotsman®
Ice Systems

Modular Ice Machine up to 1000 kg

Item #:

Project:

Quantity:



UNIT DATA

Size (W x D x H) 906 x 636 x 520 mm
Net weight 95 kg

SHIPPING DATA

Carton (W x D x H) 980 x 740 x 680 mm
Weight 112 kg

			Compressor		Circuit wires		Max. fuse size	
Version	Voltage		Btu/h	W	No.	Ømm²	A	
MAR 128	400/50/3N		18767	5500	5	2.5	10	
MAR 128	230/60/1		18767	5500	3	2.5	10	
MAR 128	400/60/3N		18767	5500	5	2.5	10	

			24 h ice production kg °C Amb. / °C Water			Energy consumption*		Water usage*	Instant power
Version	Condensation	Voltage	10°C/10°C	21°C/10°C	32°C/21°C	kWh/100 kg	kWh/24h	l/h	W
MAR 128		400/50/3N	1000	1000	780	1.2	9.6	32.5	395
MAR 128		230/60/1	1000	1000	780	1.2	9.6	32.5	395
MAR 128		400/60/3N	1000	1000	780	1.2	9.6	32.5	395

(*) Data refer to 32°C Amb. / 21°C Water temperature conditions